



- The Value Line $-\!-\!-$



Gamco fulfills a specific niche in the commercial restroom accessories market when budget pricing is the primary consideration. Architects, distributors and developers have counted on Gamco for a comprehensive line of products designed and engineered for long-lasting durability and functionality. There is no better value.

Large Project Focus -

ON TIME, ON BUDGET

Gamco's manufacturing capabilities are designed for school, government, retail and other industrial projects. Customers can count on Gamco to meet their delivery requirements for even the largest projects.



InStock -

3-DAY SHIPMENTS

Choose from an extensive assortment of the most popular accessory models, and benefit with 3-day shipments within the U. S. from date of order. InStock models can be found at gamcousa.com and are identified with the "IS" symbol throughout this catalog.

Gamco Customer Service — **BOBRICK**





POWERED BY BOBRICK AND IBOB

Best-in-class Bobrick customer service is another reason the construction market relies on Gamco. Customers benefit with the iBob state-of-the-art order entry and tracking system that provides real time information throughout the production, manufacturing and fulfillment process.

Customization -

AND SPECIAL FINISHES

Height, width and depth dimensions can be customized for non-standard installations and special short-run quantities can be accommodated in most cases.

Table of Contents —

Catalog symbols

AND WHAT THEY MEAN



The wheelchair designates accessories that meet ADA Accessibility Guidelines. For a free copy of Bobrick's most up-to-date Planning Guide for Accessible Restrooms, visit bobrick.com.



Many of Gamco's products assist customers in fulfilling their sustainability and LEED objectives. For example, accessories are fabricated of 50%-70% recycled stainless steel. See Gamco's GTB-88 LEED information bulletin.



Products with the InStock symbol ship within three days of receipt of order.

Combination Towel & Waste Units 4-5
Towel Dispensers & Waste Receptacles 6-7
Hand Dryers
Mirrors
Toilet Tissue Dispensers 10-11
Grab Bars
Soap Dispensers
Seat Cover Dispensers
Feminine Hygiene Accessories
Shower Accessories
Healthcare & Security Accessories
Restroom Accessories
Custodial Accessories

Product Index —

100 Series. .12 100 CH. .17 100 CHNR .17 100 CHSS .17 100 SC-42 x 72 .17 100 SC-72 x 72 .17 125 Series. .12 125 Swing-Up. .12 125 Swing-Up-PH. .12 150 Series. .12 212-DBL. .10 212-SF. .10 212-SF-DBL. .10 22 .10 23 .10 282 25 .16 352 25 .16 761 .11 7673 x 24 .17 7673 x 24 .17 7676 x 24 .19 7678 x 24 .19 7680 .17 7682 .19 813 .11 813 NRC .11 814 .11 815 .11 816 .11 817 .15 818 .17 7682 .19 813 .11 <td< th=""><th>C-Series</th><th>MSA-11</th><th>TTD-5 10 TTD-6 10 TTD-9 10 TW-1 4 TW-18 4 TW-12RP 5 TW-14RPF 5 TW-14RPFS 5 TW-14RPFS-T 4 TW-14RPF-T 4 TW-1F 4 TW-1F 4 TW-3 4 TW-3 4 TW-3 5 TW-8 5 TW-8 5 TW-9 5 TW-9 5 TW-9 5 TW-9 5 TW-9F 5 TW-9FS 5 US-1 19 US-2 19 US-5 19 US-7 19 WR-1 7 WR-1 7 WR-1 7 WR-2 7 WR-6 7 WR-6-18 7</th></td<>	C-Series	MSA-11	TTD-5 10 TTD-6 10 TTD-9 10 TW-1 4 TW-18 4 TW-12RP 5 TW-14RPF 5 TW-14RPFS 5 TW-14RPFS-T 4 TW-14RPF-T 4 TW-1F 4 TW-1F 4 TW-3 4 TW-3 4 TW-3 5 TW-8 5 TW-8 5 TW-9 5 TW-9 5 TW-9 5 TW-9 5 TW-9F 5 TW-9FS 5 US-1 19 US-2 19 US-5 19 US-7 19 WR-1 7 WR-1 7 WR-1 7 WR-2 7 WR-6 7 WR-6-18 7
AT 18 x 30 9 BCS-1	MC-1	TSC-2	WR-3

— Combination Towel & Waste Units

TW-1

RECESSED COMBINATION TOWEL **DISPENSER AND WASTE RECEPTACLE**





Satin-finish stainless steel, one-piece 22-gauge (0.88mm) flange and removable waste receptacle, 18-gauge (1.2mm) door. Receptacle projects 5" (127mm).

TOWEL CAPACITY: 600 C-fold or 800 multifold

WASTE CAPACITY: 12-gal. (45.4-L)

OVERALL SIZE: 17 1/8" W, 56" H (435 x 1422mm)

TW-1F Semi-recessed 2" (51mm) skirt TW-1FS Surface-mounted 4" (102mm) skirt TW-1-18 18-gal. (68-L) waste receptacle 🗢

TW-14RP-T

COMBINATION AUTOMATIC **ROLL TOWEL DISPENSER AND WASTE RECEPTACLE**



Satin-finish stainless steel, one-piece 22-gauge (0.88mm) flange and removable waste receptacle, 18-gauge (1.2mm) door. Receptacle projects 5" (127mm).

TOWEL CAPACITY: Accepts paper rolls 7 3/4" (197mm) wide up to 8" (203mm) dia. 1 1/2" to 2" (38 to 51mm) core

WASTE CAPACITY: 12-gal. (45.4-L)

OVERALL SIZE: 17 1/8" W, 56" H (435 x 1472mm) TW-14RPF-T Semi-Recessed 2" (51mm) skirt TW-14RPFS-T Surface-mounted 4" (102mm) skirt

1 M-3

RECESSED COMBINATION MINI-TOWEL DISPENSER AND WASTE RECEPTACLE





Satin-finish stainless steel, one-piece 22-gauge (0.8mm) flange and removable waste receptacle.

TOWEL CAPACITY: 350 C-fold or 475 multifold

WASTE CAPACITY: 2-gal. (7.6-L)

OVERALL SIZE: 14" W, 28" H, 4" D (356 x 711 x 102mm) TW-3FS Surface-mounted 4" (102mm) skirt



RECESSED COMBINATION DISPENSER AND WASTE **RECEPTACLE**





Satin-finish stainless steel, one-piece 22-gauge (0.8mm) flange and removable 24-gauge (0.6mm) waste receptacle, 18-gauge (1.2mm) door.

TOWEL CAPACITY: 700 C-fold, 900 multifold or 1200 single-fold

WASTE CAPACITY: 7 1/2 -gal. (28.4-L)

OVERALL SIZE: 14" W, 58" H, 6" D (356 x 1473 x 152mm)

Combination Towel & Waste Units —

TW-8

RECESSED COMBINATION COVERALL **MINI-TOWEL DISPENSER AND WASTE RECEPTACLE**





Satin-finish stainless steel, one-piece 18-gauge (1.2mm) door fitted with tumbler lock. Removable molded plastic waste receptacle.

TOWEL CAPACITY: 300 C-fold or 400 multifold

WASTE CAPACITY: 1.27-gal. (4-L)

OVERALL SIZE: 14" W, 28" H, 4 1/4" D (356 x 711 x 108mm)

TW-8F Semi-recessed 2" (51mm) skirt

TW-8FS Surface-mounted 4" (102mm) skirt

TW-9

RECESSED COMBINATION COVERALL **TOWEL DISPENSER** AND WASTE **RECEPTACLE**





Satin-finish stainless steel, one-piece 18-gauge (1.2mm) door fitted with two tumbler locks. Push door covers disposal opening. Removable molded plastic waste receptacle. Recessed 5 3/8" (135mm).

TOWEL CAPACITY: 600 C-fold, 800 multifold or 1100 single-fold

WASTE CAPACITY: 5 1/2-gal. (19-L)

OVERALL SIZE: 13" W, 55 1/8" H, 6" D (330 x 1400 x 152mm)

TW-9F Semi-recessed 2" (51mm) skirt

TW-9FS Surface-mounted 6" (152mm) skirt

TW-9-4 Fully recessed 4" (102mm) walls with no-push door. 3.8-gal. (14.4-L) waste

TW-12RP

RECESSED COMBINATION COVERALL **ROLL TOWEL PUSH BAR DISPENSER AND WASTE** RECEPTACLE





Satin-finish stainless steel, one-piece 18-gauge (1.2mm) door fitted with two tumbler locks and removable waste receptacle. Towels are dispensed when lower bar is pushed.

TOWEL CAPACITY: Rolls 7 3/4" (197mm) wide up to 8" (203mm) dia.

WASTE CAPACITY: 8 1/2-gal. (32-L)

OVERALL SIZE: 16 1/16" W, 43 7/8" H, 9 5/8" D

(408 x 1114 x 244mm)

TW-12RPF Semi-recessed 6" (150mm) skirt

TW-14RP

RECESSED COMBINATION **ROLL TOWEL** DISPENSER AND WASTE RECEPTACLE





Satin-finish stainless steel, one-piece 22-gauge (0.8mm) flange and removable waste receptacle, 18-gauge (1.2mm) door. Receptacle projects 5" (127mm). Towels are dispensed when lower bar is pushed.

TOWEL CAPACITY: Roll 7 3/4" (197mm) wide up to 8" (203mm) dia.

WASTE CAPACITY: 12-gal. (45.4-L)

OVERALL SIZE: 17 1/8" W, 56" H (435 x 1422mm) TW-14RPFS Surface-mounted 4" (102mm) skirt

— Towel Dispensers & Waste Receptacles

TD-2 SURFACE-MOUNTED **TOWEL DISPENSER**



TD-3 **RECESSED TOWEL DISPENSER**



TD-4 **RECESSED TOWEL DISPENSER**



IS A

Satin-finish stainless steel, 22-gauge (0.8mm). Cabinet slots on sides indicate paper towel supply.

TOWEL CAPACITY: 400 C-fold or 525 multifold

OVERALL SIZE: 10 13/16" W, 14 1/16" H, 3 15/16" D (275 x 355 x 100mm)

TD-2-8 10 13/16" W, 7 1/8" H, 3 15/16" D (275 x 180 x 100mm)



Satin-finish stainless steel, one-piece 22-gauge (0.8mm) flange, 18-gauge (1.2mm) door.

TOWEL CAPACITY: 600 C-fold or 800 multifold

OVERALL SIZE: 14" W, 28" H, 4 1/4" D (356 x 711 x 108mm)



Satin-finish stainless steel, one-piece 22-gauge (0.8mm) flange, 18-gauge (1.2mm) door.

TOWEL CAPACITY: 350 C-fold or 475 multifold

OVERALL SIZE: 12 15/16" W, 17 1/8" H, 4 1/4" D (329 x 435 x 108mm)

TD-4F Semi-recessed 2" (51mm) Skirt 👃 TD-4FS Surface-mounted 4" (102mm) Skirt 🖶

SURFACE-**MOUNTED** SINGLE **FOLD TOWEL DISPENSER**



RECESSED **COVERALL TOWEL** DISPENSER



TD-11RP

SURFACE-**MOUNTED PUSH BAR ROLL TOWEL DISPENSER**





Satin-finish stainless steel, 22-gauge (0.8mm). Cabinet slots on sides indicate paper towel supply.

TOWEL CAPACITY: 400 singlefold OVERALL SIZE: 11 1/2" W, 7 1/2" H, 6" D (292 x 191 x 152mm)



Satin-finish stainless steel, one-piece 18-gauge (1.2mm) door fitted with tumbler lock.

TOWEL CAPACITY: 300 C-fold or 400 multifold

OVERALL SIZE: 12 11/16" W, 17 1/4" H, 4 1/4" D (322 x 438 x 108mm)

TD-6F Semi-recessed with 2" (51mm)

TD-6FS Surface-mounted with 4" (102mm) skirt 👢



Satin-finish stainless steel, 22-gauge (0.8mm) cabinet, 18-gauge (1.2mm) door. Towels are dispensed when lower bar is pushed.

TOWEL CAPACITY: 7 3/4" - 8" W (197 -203mm), 8" (203mm) in dia.

OVERALL SIZE: 12 1/16" W. 16" H. 9 3/8" D (320 x 406 x 238mm)

TD-11RPT Surface-mounted automatic touchless roll paper towel dispenser



Towel Dispensers & Waste Receptacles —

TD-12RP

SEMI-**RECESSED** ROLL **TOWEL DISPENSER**



TD-12RPT

SEMI-**RECESSED AUTOMATIC ROLL TOWEL DISPENSER**



WR-2

SURFACE-**MOUNTED** WASTE **RECEPTACLE**





Satin-finish stainless steel, one-piece 18-gauge (1.2mm) door fitted with tumbler lock. Towels are dispensed when lower bar is pushed.

TOWEL CAPACITY: 7 3/4" to 8" W (197 to 203mm), up to 8" (203mm) in dia.

OVERALL SIZE: 14" W, 27 1/2" H, 9 3/8" D (356 x 699 x 238mm) without frame



Satin-finish stainless steel, one-piece 18-gauge (1.2mm) door fitted with tumbler lock.

TOWEL CAPACITY: 7 3/4" to 8" W (197 to 203mm), up to 8" (203mm) in dia. 1 1/2" to 2" (38 to 51mm) core

OVERALL SIZE: 14" W, 25 13/16" H x 9 5/16" D (356 x 640 x 237mm) without flange



Satin-finish stainless steel, 22-gauge (0.8mm) waste receptacle. Edges hemmed for safety.

CAPACITY: 7-gal. (26.5-L)

OVERALL SIZE: 14" W, 18" H x 6" D (356 x 457 x 152mm)

WR-1 CAPACITY: 21-gal. (79.5-L)

WR-3 CAPACITY: 2-gal. (7.6-L)

WR-14 CAPACITY: 12-gal. (45.4 L)

Note: WR-1/WR-2 with vinyl liner

WR-6 **RECESSED** WASTE RECEPTACLE



COVERALL WASTE RECEPTACLE



WR-11

STANDING SWING-TOP WASTE **RECEPTACLE**





Satin-finish stainless steel, one-piece 22-gauge (0.8mm) flange and removable waste receptacle. Receptacle projects 5" (127mm).

CAPACITY: 12-gal. (45.4-L)

OVERALL SIZE: 17 1/8" W, 30 5/8" H x 8 3/4" D (435 x 778 x 222mm)

WR-6-18 18-gal. (68-L) waste

receptacle

WR-6-6 Requires 6" (152mm) wall

depth



Satin-finish stainless steel, one-piece 18-gauge (1.2mm) door fitted with tumbler locks. Removable, molded plastic waste receptacle.

CAPACITY: 12-gal. (45.4-L)

OVERALL SIZE: 17 3/16" W, 40" H, 8 3/8" D (436 x 1016 x 213mm)



Satin-finish stainless steel 20-gauge (0.89mm) receptacle. Self-closing doors. Rubber feet provided.

CAPACITY: 13-gal. (49.2-L)

OVERALL SIZE: 12 1/2" W, 29 1/2" H, 12 1/2" D (318 x 749 x 318mm) WR-12 CAPACITY: 21-gal. (79.5-L)

OPTION: -NT for waste receptacle

without top

— Hand Dryers -

DR-5128

SURFACE-**MOUNTED** ADA **COMPLIANT** HAND DRYER





Brushed stainless steel cover with SteriTouch® antimicrobial additive. No-touch operation. cETLus approved.

UNIVERSAL VOLTAGE: 110-120/208/220-240 VAC input OVERALL SIZE: 11 7/16" W, 10 11/16" H, 3 15/16" D

(290 x 271 x 100mm)

DR-5120 White epoxy painted cover **IS**

DR-5750 115V RECESSED CAST IRON

HAND DRYER





1/4" thick cast iron with porcelain enamel finish. Universal motor type, 1/10 hp at 7500 rpm. cULus listed.

VOLTAGE: 115V AC, 9.6 Amp, 60 Hz

OVERALL SIZE: 13.1" W, 13.9" H, 7.5" D (333 x 353 x 189mm)

SteriTouch is a registered trademark of SteriTouch Ltd.

A-SERIES

WELDED-FRAME



Satin-finish stainless steel. Corners welded, ground and polished smooth. STANDARD SIZES/MODEL NUMBERS:

IS A-18 x 30, **IS** A-18 x 36, A-24 x 48, A-24 x 72

Max. one-piece mirror is 96" x 48" any direction, custom sizes available **OPTIONS:**

- -T For tempered glass
- L For laminated glass
- -SS For polished stainless steel; MS-18 & MS-24 Mirror Shelf available for A, C, FT-Series & AT-18 x 30 mirrors

C-SERIES

CHANNEL-FRAME



Bright-polished stainless steel finish. Mitered corners

STANDARD SIZES/MODEL NUMBERS: C-18 x 24, S C-18 x 30, C-18 x 36, **IS** C-24 x 36, C-24 x 48

Max. one-piece mirror is 96" x 48" any direction, custom sizes available

- -T For tempered glass
- For laminated glass
- -SS For polished stainless steel; MS-18 & MS-24 Mirror Shelf available for A, C, FT-Series & AT-18 x 30 mirrors

MS-18

MIRROR SHELF





Satin-finish stainless steel. Mirror shelf is 18" L, 1 1/4" H (457 x 32mm), ADAcompliant, protrudes 4" (100mm) from

MS-24 **IS** 24" L, 1 1/4" H (610 x 32mm)

Special-order sizes: up to 60" (1525mm) are available on request.

AT-18 x 30 ADJUSTABLE TILT



Satin-finish stainless steel. Corners welded, ground and polished smooth. Top of mirror extends 7" max. (229mm) from wall.

OPTIONS:

- -T For tempered glass
- L For laminated glass
- -SS For polished stainless steel; MS-18 & MS-24 Mirror Shelf available for A, C, FT-Series & AT-18 x 30 mirrors

FT-SERIES

FIXED-TILT POSITION



Satin-finish stainless steel frame. Corners welded, ground and polished smooth.

STANDARD SIZES/MODEL NUMBERS: FT-18 x 30, FT-18 x 36, FT-24 x 36

- -T For tempered glass
- For laminated glass
- -SS For polished stainless steel; MS-18 & MS-24 Mirror Shelf available for A, C, FT-Series & AT-18 x 30 mirrors



— Toilet Tissue Dispensers -

TTD-5

SURFACE-**MOUNTED MULTI-ROLL TOILET TISSUE DISPENSER**



RECESSED COVERALL MULTI-ROLL TOILET TISSUE DISPENSER



SURFACE-**MOUNTED JUMBO** TOILET **TISSUE DISPENSER**





Satin-finish stainless steel. Extra toilet tissue roll automatically drops in place after bottom roll is depleted.

CAPACITY: Two rolls up to 5 1/4" (135mm) dia.

OVERALL SIZE: 6 1/16" W, 11" H, 5 15/16" D (154 x 279 x 151mm)

TTD-6 Recessed, 7 9/16" W, 12 1/2" H (190 x 320mm), projects 2 15/16" (75mm) 🔷 🚺



Satin-finish stainless steel, one-piece 18-gauge (1.2mm) door fitted with tumbler lock. Spindle is continuous 1" (25mm) diameter 18-gauge (1.2mm) stainless steel tubing with plastic end

CAPACITY: Two rolls up to 5 1/4" (135mm) dia.

OVERALL SIZE: 13 5/8" W, x 8 7/16" H, 4 1/2" D (346 x 214 x 114mm)



Satin-finish stainless steel. 22-gauge (0.8mm). Slot on front reveals tissue supply.

CAPACITY: One roll up to 9 3/8" (238mm) dia. 4" (102mm) wide

OVERALL SIZE: 10 1/2" W, 4 1/2" D (267 x 114mm)

TTD-14 Similar to TTD 13. 13" (330mm) dia. toilet tissue roll



TTD-11

SURFACE-MOUNTED **IUMBO-ROLL TOILET TISSUE** DISPENSER



TOILET TISSUE HOLDER











TOILET TISSUE HOLDER





Satin-finish stainless steel, 20-gauge (0.89mm). Sliding panel exposes one roll at a time and allows for easy roll changeover.

CAPACITY: Two rolls up to 9" (289mm) OVERALL SIZE: 19 3/16" W, 10 3/8" H, 5 1/4" D (487 x 264 x 133mm)



Bright-polished chrome-plated steel. Theft-resistant locking device.

CAPACITY: Two rolls up to 5" (127mm)

OVERALL SIZE: 12 3/8" W, 12 3/4" H, 4 1/4" D (314 x 70 x 108mm)

22 Single-roll toilet tissue





Bright-polished stainless steel chrome

CAPACITY: One roll up to 5-1/4" (133mm) dia.

OVERALL SIZE: 6 3/8"W, 6 3/8"H, 17/8" D (162 x 162 x 48mm)

212-DBL Bright-polished double-roll

212-SF Satin-finish single-roll

212-SF DBL Satin-finish double-roll



761

SINGLE-ROLL **TOILET TISSUE HOLDER**

TOILET TISSUE HOLDER

DOUBLE-ROLL **TOILET TISSUE HOLDER**







F

Bright-polished, chrome-plated steel. Theft-resistant locking device.

CAPACITY: Two rolls up to 5 1/4" (133mm) dia.

PROJECTS: 3 1/4" (83mm) from wall OVERALL SIZE: 7 7/8" W, 1 15/16" H (200 x 49mm)



Bright-polished, chrome-plated Zamak. Push button unlocks support arms to allow servicing of unit.

CAPACITY: One roll up to 5 1/4" (133mm) dia.

OVERALL SIZE: 10 1/2" W, 2 3/8" H, 4 1/4" D (266 x 60 x 108mm)

815 Surface-mounted single-roll toilet tissue holder



Satin-finish stainless steel, 12-gauge (3mm). Cast aluminum spindles with locking pin. Controlled delivery.

CAPACITY: Two rolls up to 5 1/2" (140mm) dia.

OVERALL SIZE: 13" W, 2" H, 4" D (330 x 51 x 102mm)

TTD-1 Surface-mounted single-roll toilet tissue holder

G-7685

SINGLE-ROLL **TOILET TISSUE HOLDER**



TOILET TISSUE HOLDER WITH NO ROLL CONTROL



SINGLE-ROLL **HEAVY DUTY TOILET TISSUE HOLDER**



IS A

Bright-polished stainless steel. Chromeplated plastic spindle.

CAPACITY: One roll up to 5 1/2" (140mm) dia.

OVERALL SIZE: 7 1/4" W, 2" H (185 x 50mm) PROJECTS: 3 15/16" (100mm) from wall

G-76857 Satin-finish IS

G-7686 Double-roll, bright-finish

G-76867 Double-roll, satin-finish **IS**

S

Die cast aluminum. Theft-resistant locking device. Spindle fabricated of grey polystyrene.

CAPACITY: Two rolls up to 5 1/4" (133mm) dia.

OVERALL SIZE: 13 1/8" W, 1 3/4" H, 4 1/4" D (333 x 44 x 108mm)

813NRC Surface-mounted single-roll toilet tissue holder with no roll control

813 Surface-mounted single-roll toilet tissue holder

814 Surface-mounted double-roll toilet tissue holder IS



(133mm) dia.

1/8" (3.2mm) thick aluminum. CAPACITY: One roll up to 5 1/4"

OVERALL SIZE: 5 1/8" W, 2" H, 3 1/8" D (130 x 51 x 79mm)



EXPOSED FLANGE



- Stainless steel, 3" (76mm) dia. with 3 countersunk mounting holes.
- Available for 1 1/4" and 1 1/2" diameter bars.
- To specify: Series, E (Exposed) x grab bar length, e.g., 125E x 36

CONCEALED FLANGE



- 1/2" (13mm) deep, stainless steel, 3" (76mm) dia. furnished with 3 stainless steel set screws and one back plate.
- Available for 1 1/2" diameter bars.
- To specify: Series, C (Concealed) x grab bar length, e.g., 150C x 36

SNAP FLANGE



- · Mounting plate is stainless steel, 3" (76mm) dia. Snap flange cover is stainless steel.
- Available for 1". 1 1/4" and 1 1/2" diameter bars.
- To specify: Series, S (Snap) x grab bar length, e.g., 150S x 36

100 SERIES

STRAIGHT GRAB BAR



Ė

Satin-finish stainless steel tubing. BAR DIA.: 1" (25mm) STANDARD LENGTHS: 18", 24", (455, 610mm)

FLANGE STYLES: Snap

125 SERIES

STRAIGHT GRAB BAR



F

Satin-finish stainless steel tubing. Custom sizes available.

BAR DIA.: 1 1/4" (32mm)

STANDARD LENGTHS: 12", 18", 24", 30", 36", 42", 48" (305, 455, 610, 760, 915,

1060, 1220mm)

FLANGE STYLES: Exposed, Snap

150 SERIES

STRAIGHT GRAB BAR



F

Satin-finish stainless steel tubing. Custom sizes available.

BAR DIA.: 11/2" (38mm)

STANDARD LENGTHS: 12", IS 18",

(305, 455, 610, 760, 915, 1060, 1220mm) FLANGE STYLES: Concealed, Snap

125 SWING-UP



IS &

Satin-finish stainless steel tubing. OVERALL LENGTH: 29 15/16" D, 11 13/16" H (760 x 300mm) BAR DIA.: 1 1/4" (32mm)

125



Satin-finish stainless steel tubing. With toilet tissue holder.

OVERALL LENGTH: 29 15/16" D, 11 13/16" H (760 x 300mm)

BAR DIA.: 11/4" (32mm)

-50 SERIES

TWO WAY WHEELCHAIR BAR



F

Standard dimensions: 36" W x 54" D (91 x 137cm), satin-finish stainless steel tubing. Custom sizes available.

125 SERIES 1 1/4" (32mm) 150 SERIES 11/2" (38mm)

MODEL NUMBERS: 125S-50, 150S-50

-5 SERIES



F

Standard dimensions: 16" W x 32" D (41 x 81cm), left or right configuration. Satin-finish stainless steel tubing. Custom sizes available.

BAR DIA .:

125 SERIES 1 1/4" (32mm) 150 SERIES 1 1/2" (38mm)

MODEL NUMBERS: 150S-5L, 150S-5R

-12 SERIES

HORIZONTAL TUB OR SHOWER



F

Standard dimensions: 15 7/8" W, 30 7/8" D (403 x 784mm). Satin-finish stainless steel tubing. Custom sizes available.

BAR DIA.:

125 SERIES 1 1/4" (32mm) 150 SERIES 1 1/2" (38mm)

MODEL NUMBERS: 125S-12, 150S-12

Seat Cover Dispensers —

TSC-1

SURFACE-MOUNTED TOILET **SEAT-COVER DISPENSER**



IS E

Satin-finish stainless steel, 22-gauge (0.8mm). Fills from the bottom through concealed opening.

CAPACITY: Dispenses 250 single- or half-fold covers

OVERALL SIZE: 15 3/4" W, 11" H, 2" D (400 x 279 x 51mm)

RECESSED TOILET **SEAT-COVER DISPENSER**



IS &

Satin-finish stainless steel, 22-gauge (0.8mm).

CAPACITY: 500 covers

OVERALL SIZE: 17 1/8" W, 12 3/4" H, 2 1/4" D (435 x 324 x 57mm)

TSC-8

RECESSED COVERALL TOILET **SEAT-COVER DISPENSER**



F

Satin-finish stainless steel, one-piece 18-gauge (1.2mm) door fitted with tumbler lock.

CAPACITY: 500 covers

OVERALL SIZE: 16 3/4" W, 12 11/16" H, 2 1/4" D (425 x 322 x 57mm)

— Soap Dispensers

NEW G-8258

COUNTER-MOUNTED AUTOMATIC, **TOP-FILL LIQUID** SOAP DISPENSER



IS P

Bright polished 304 stainless steel spout equipped with touchless IR sensor and low soap level LED light indicator. Locked fill port cap opens with a special funnel key that is used for top filling the dispenser. Polypropylene reservoir tank installs below counter.

CAPACITY: 50.7-fl. oz. (1.5-L)

NEW G-8248

COUNTER-MOUNTED AUTOMATIC. TOP-FILL **FOAM SOAP DISPENSER**



IS A

Bright polished 304 stainless steel spout equipped with touchless IR sensor and low soap level LED light indicator. Locked fill port cap opens with a special funnel key that is used for top filling the dispenser. Polypropylene reservoir tank installs below counter.

CAPACITY: 50.7-fl. oz. (1.5-L)

G-64LB

COUNTER- MOUNTED LIOUID SOAP DISPENSER



IS &

Chrome-plated brass. 4" (102mm) spout. Polyethylene soap container with easy viewing of soap level. Top fill for convenience.

CAPACITY: 32-fl. oz. (0.9-L)

G-64LB-6 6" (152mm) spout **IS** G-64LB-US-3 4" (102mm) spout, bright-polished brass finish

G-64LB-6-US-3 6" (152mm) spout, bright-polished brass finish

G-29L

COUNTER-MOUNTED LIQUID SOAP DISPENSER



Ė

Chrome-plated brass. Polyethylene soap container with easy viewing of soap level.

CAPACITY: 21-fl. oz. (0.62-L)

G-950SA

SURFACE-MOUNTED **AUTOMATIC** LIOUID SOAP **DISPENSER**



G-950FA

SURFACE-MOUNTED **AUTOMATIC FOAM SOAP DISPENSER**



Satin-finish stainless steel. Dispenses a variety of liquid soaps and liquid or gel hand sanitizers. Lockable housing is equipped with clear acrylic refillindicator window and hinged for refilling and maintenance. CE certified.

CAPACITY: 30-fl. oz. (850 ml)

OVERALL SIZE: 4 3/16" W, 10 17/32" H, 47/32" D (106 x 268 x 107mm)

Satin-finish stainless steel. Dispenses a variety of foaming soaps and foam hand sanitizers. Lockable housing is equipped with clear acrylic refillindicator window and hinged for refilling and maintenance. CE certified.

CAPACITY: 27-fl. oz. (800 ml)

OVERALL SIZE: 4 1/4" W, 10 17/32" H, 47/32" D (108 x 268 x 107mm)

G-16AP

SURFACE-**MOUNTED** LIQUID SOAP DISPENSER



G-58AP

SURFACE- MOUNTED HORIZONTAL LIQUID SOAP DISPENSER



IS A

Satin-finish stainless steel. Tank-type soap dispenser with all-purpose valve. Soap level indicator window. Hinged filler-top requires special key to open.

CAPACITY: 40-fl. oz. (1.2-L)

OVERALL SIZE: 4 3/4" W, 8 1/4" H, 3" D (120 x 210 x 76mm)



Satin-finish stainless steel. Tank-type soap dispenser with all-purpose valve. Soap level indicator window. Hinged filler-top requires special key to open.

CAPACITY: 40-fl. oz. (1.2-L)

OVERALL SIZE: 8 1/4" W, 4 3/4" H, 3" D (210 x 121 x 76mm)



S-8 SERIES

STAINLESS STEEL **SHELF**

G-287 **FOLD-DOWN SHELF**





Satin-finish stainless steel. Shelf holds 100 lbs (45.36 Kg) when

properly installed, automatically returns to upright position

Satin-finish stainless steel, 18-gauge (1.2mm), 8" (203mm) depth.

SHELF LENGTHS: 18", 24", 36"

(457, 610, 914mm)

S-5 SERIES 5" D (127mm). Lengths: 16", 18" (406, 457mm) S-6 SERIES 6" D (152mm). Lengths: 16", 18", 24", 36" (406, 457, 610, 914mm)

OVERALL SIZE: 5 13/16" W, 2 3/8" H, 14 9/16" D (150 x 60 x 370mm)

when object is removed.

BCS-1

SURFACE-MOUNTED **BABY CHANGING STATION**





Cream-color polypropylene cabinet and bed. Reinforced fulllength steel-on-steel hinge mechanism.

OVERALL SIZE: Closed - 35 1/4" W, 20" H, 4" D (895 x 508 x 100mm)

Extension open - 19" (483mm)

BCS-2 Similar to BCS-1 in Grey

— Feminine Hygiene Accessories

282 25

SURFACE-**MOUNTED** NAPKIN-**TAMPON VENDOR**



ND-1

SURFACE-MOUNTED **SANITARY** NAPKIN **DISPOSAL**



ND-3

RECESSED COVERALL **SANITARY** NAPKIN **DISPOSAL**





Satin-finish stainless steel. Single-coin mechanism for 25¢ operation. 18-gauge (1.2mm) door. Separate lock and key for coin box.

CAPACITY: 30 Napkins, 27 Tampons OVERALL SIZE: 11 7/8" W, 25 7/8" H, 6 1/2" D (300 x 655 x 165mm)

352 25 Recessed 13 7/8" W. 27 7/8" H. 4" to 6 1/2" D (350 x 710 x 100 to 165mm)



IS A

Satin-finish stainless steel, 22-gauge

CAPACITY: 1.0-gal. (3.8 L)

OVERALL SIZE: 7 1/2" W, 10" H, 3 13/16" D (191 x 254 x 97mm)



Satin-finish stainless steel, one-piece 18-gauge (1.2mm) door with stainless steel handle. Stainless steel waste receptacle mounts on front door and lifts out for servicing.

CAPACITY: 0.6-gal. (2.3 L)

OVERALL SIZE: 8" W, 14" H, 4 1/4" D (203 x 356 x 108mm)

ND-4 RECESSED **SANITARY NAPKIN DISPOSAL**




ND-5

SURFACE-MOUNTED COVERALL **SANITARY NAPKIN** DISPOSAL







CAPACITY: 1.2-gal. (4.6-L)

OVERALL SIZE: 12 3/4" W. 17 3/32" H. 4 1/8" min. D (324 x 434 x 105mm)

ND-6 Partition-mounted sanitary napkin disposal

IS P

Satin-finish stainless steel. Door has tumbler lock. Door has tumbler lock. Self-closing panel covers disposal opening. Removable, leak-proof, plastic receptacle.

CAPACITY: 1.2-gal. (4.6-L)

OVERALL SIZE: 10 11/16" W. 15 1/8" H. 4 1/16" D (270 x 385 x 105mm).



G-5181

FOLDING SOLID PHENOLIC REVERSIBLE SHOWER SEAT





Seat is constructed of durable, waterresistant, ivory-colored 1/2" (13mm) thick solid phenolic. Reversible for leftor right-hand field installation.

OVERALL SIZE: Ht.: 17-19" (432-483mm) from top of seat to floor

SEAT: 33" W (840mm)

PROJECTS: 22 5/16" (565mm) from wall

G-5191

FOLDING SOLID PHENOLIC SHOWER SEAT



IS A

Seat is constructed of durable, waterresistant, ivory-colored 5/16" (8mm) thick solid phenolic. Compact design.

OVERALL SIZE: Ht.: 17-19" (432-483mm)

from top of seat to floor SEAT: 18" W (455mm)

PROJECTS: 15 13/16" (400mm) from wall

100 SERIES **SHOWER CURTAINS**



IS

Opaque, matte white vinyl; Contains Sure-Check[®] Linen Antimicrobial Fabric Protection. Meets federal specifications.

100SC-42 x 72 Curtain 42" W, 72" H (1065 x 1830mm), requires 8 hooks 100SC-72 X 72 Curtain 72" W, 72" H (1830 x 1830mm), requires 13 hooks

Sure-Check is a Registered Trademark of PAR Technology Corporation.

SR100E

EXPOSED MOUNTING SHOWER CURTAIN ROD





Curtain rod constructed of 18-gauge (1.2mm), satin-finish stainless steel. One-piece exposed flange constructed of 20-gauge (.90mm) stainless steel.

BAR DIA.: 1" (25mm), 1 1/4" (32mm) STANDARD LENGTHS: 36", 42", 48", 60", 72" (914, 1067, 1219, 1524, 1829mm)

SR100C

CONCEALED MOUNTING SHOWER CURTAIN ROD



Curtain rod constructed of 18-gauge (1.2mm), satin-finish stainless steel. One-piece concealed flange constructed of 20-gauge (.90mm) stainless steel.

BAR DIA.: 1" (25mm), 1 1/4" (32mm) STANDARD LENGTHS: 36", 42", 48", 60", 72" (914, 1067, 1219, 1524, 1829mm)

SQUARE MOUNTING SHOWER CURTAIN ROD





Curtain rod constructed of 18-gauge (1.2mm), satin-finish stainless steel. One-piece square flange constructed of 22-gauge (.74mm) stainless steel.

BAR DIA.: 1" (25mm), 1 1/4" (32mm) STANDARD LENGTHS: 36", 42", 48", 60", 72" (914, 1067, 1219, 1524, 1829mm)

100 SERIES

SHOWER CURTAIN HOOKS



For use on 1" and 1 1/4" (25 and 32mm) dia. shower curtain rods.

OVERALL SIZES:

100CH Chrome-plated steel. Hook is 2 13/16" H x 1 15/32" W (71 x 37mm)

100CHNR Chrome-plated steel with nylon rollers 3 13/32" H, 1 7/8" W (87 x 48mm)

100CHSS Stainless Steel Hook is 2 5/8" H x 1 5/8" W (67 x 41mm)

7673 **TOWEL BARS**



Bright-polished 22-gauge (0.8mm) stainless steel square tubing.

PROJECTS: 3 1/4" (79mm) from wall **OVERALL SIZES:**

7673 X 18 18" (457mm) bar length 7673×24 24" (610mm) bar length **IS** 76737 X 18 Satin finish, 18" (457mm) bar length

76737 X 24 Satin-finish, 24" (610mm) bar length **S**

7680

SOAP DISH



IS

Bright-polished stainless steel. Surfacemounted soap dish has two drain holes and two soap-support ridges.

OVERALL SIZE: 4 1/4" (108mm) PROJECTS: 4 1/8" (105mm) from wall

76807 Satin-finish stainless steel **IS**



— Healthcare & Security Accessories

SPB-1 **SPECIMEN PASS-THRU CABINET**



BP-1 SURFACE-**MOUNTED BED PAN** RACK



MEDICINE

₽



Satin-finish stainless steel. Self-closing doors provided with a pull knob. Removable tray provided.

OVERALL SIZE: 13 1/2" W. 12 7/8" H. 6" W (343 x 327 x 152mm)

Wall Thickness: 1 3/4" to 5 1/2"

(10 to 140mm)

Satin-finish stainless steel, 18-gauge (1.2mm).

OVERALL SIZE: 11" W, 24" H

(279 x 610mm)

PROJECTS: 4 5/8" (117mm) from wall

Recessed cabinet. Door has magnetic door catch and stainless steel door stop. Cabinet inverted for right- or lefthand door swing.

OVERALL SIZE: 16 3/8" W. 26 3/8" H. 4 5/16" D (416 x 660 x 109mm)

MC-2 Surface-mounted 4" (102mm)

BP-2 RECESSED BED PAN **CABINET**



SERIES CORNER **GUARD**



MSA-1

RECESSED MAXIMUM SECURITY **TOILET PAPER HOLDER**



Satin-finish stainless steel, 18-gauge (1.2mm) door. Stainless steel rod to hold one bed pan and one urinal in place furnished.

OVERALL SIZE: 15 1/32" W, 28 1/32" H, 5 1/4" D (382 x 712 x 133mm)

Satin-finish stainless steel, 18-gauge (1.2mm). Units have 90° angle with 1/8" (3mm) radius. Custom sizes and styles available.

OVERALL SIZE: 1 1/2" W, 48" H, 1 1/2" D (29 x 1219 x 38mm)

CG-4 3 1/2" W, 48" H, 3 1/2" D (89 x 1219 x 89mm)

Satin-finish stainless steel, 14-gauge

CAPACITY: One standard toilet tissue

OVERALL SIZE: 7 1/16" W, 7 1/16" H, 4 3/8" D (179 x 179 x 111mm)

MSA-11 MAXIMUM

SECURITY FRAMED MIRROR



MSA-18

MAXIMUM SECURITY CLOTHES HOOK



MSA-14

MAXIMUM SECURITY **GRAB BAR**



Frame is 14-gauge (1.9mm) satin-finish stainless steel. Mirror is type 430 bright-polished stainless steel. Corners are welded and ground smooth.

OVERALL SIZE: 12" W, 16" H, 5/8" D (309 x 406 x 16mm) overall

OPTIONS: Other reflective surfaces available



Satin-finish stainless steel. Snaps down for safety when overloaded.

OVERALL SIZE: 1 1/2" W. 3 3/8" H (38 x 86mm)

PROJECTS: 1 3/8" (35mm) from wall MSA-25 4 1/4" W, 4 1/4" H, 7/8" D (108 x 108 x 20mm); projects 1 1/4" (30mm) from back plate

12-gauge (2mm) satin-finish stainless steel. Closure plate welded to grab bar.

BAR DIA.: 1 1/2" (38mm)

STANDARD LENGTH: 24" (610mm)

FLANGE STYLES: Exposed

Note: Other lengths are available 1 1/2" (38mm) dia. exposed flange only.



SPH-2

TOILET TISSUE DISPENSER



IS

Satin-finish stainless steel. 1/2" (13mm) return edges for maximum rigidity.

CAPACITY: Two rolls up to 5 1/2" (140mm) dia.

OVERALL SIZE: 16" W, 4" H, 5" min. D (406 x 110 x 127mm)

ITILITY SHELF WITH MOP/BROOM HOLDERS



MS-1 MOP STRIP



Satin-finish stainless steel. Springloaded rubber cam holders. Hooks for storing rags. Rod for hanging wet rags.

OVERALL SIZE: 7 9/16" H. 8" D (192 x 203mm); 30" L (762mm), 3 Holders, 2 Hooks

US-2 36" L (914mm), 4 Holders, 3 Hooks IS

Mop holder with spring-loaded rubber cam holders. 24" (610mm) Mop Strip with 3 Holders

PROJECTS: 4 9/16" (116mm) from wall MS-2 36" L (914mm) Mop Strip with 4 Holders IS

US-5 **UTILITY SHELF**



HCS-1

HAT & COAT STRIP



7676 X 24

TOWEL BAR SHELF



Satin-finish stainless steel, 18-gauge (1.2mm). Spring-loaded rubber cam holders. Shelf above handle area provides clear access to stored materials.

OVERALL SIZE: 34" L, 8" D (864 x 203mm), 3 Holders, 4 Hooks US-6 44" L (1118mm), 4 Holders,

US-7 54" L (1372mm), 5 Holders, 6 Hooks

Satin-finish stainless steel, 20-gauge (0.89mm). 24" W (610mm) Strip, 3 Holders.

HCS-2 36" (914mm) Strip, 4 Holders HCS-3 48" (1219mm) Strip, 5 Holders

Bright-polished stainless steel square tubes 3/8" (9.5mm) . 1/4" (6mm) square towel bar below shelf.

PROIECTS: 8 1/4" (210mm) from wall 76767 X 24 Similar to 7676 x 24 with satin-finish

G-7671

SURFACE-**MOUNTED ROBE HOOK**



G-7672

SURFACE-**MOUNTED DOUBLE ROBE** HOOK



7682

SURFACE-MOUNTED HAT AND COAT HOOK



Hooks

Stainless steel with bright polished finish. finish.

PROIECTS:

IS A

G-76717 Similar to 7671 with satinfinish IS

Stainless steel with bright polished

PROIECTS:

G-76727 Similar to 7672 with satinfinish IS

IS

Stainless steel with bright polished finish. Hook shall be 13 gauge (2mm), welded to the support arm.

PROIECTS:

76827 Similar to 7682 with satin-finish





Gamcousa.com

Gamco Office	580.924.8066	bobrickcustomerservice@bobrick.com
Los Angeles	818.982.9600	bobrickcustomerservice@bobrick.com
New York	518.877.7444	bobrickcustomerservice@bobrick.com
International	+1.818.764.1000	international@bobrick.com